


Conductive Carbon Cloth / Carbon Paper / Carbon Felt

Item Number: ELCPF



Introduction

Conductive carbon cloth, paper, and felt for electrochemical experiments. High-quality materials for reliable and accurate results. Order now for customization options.

[Learn More](#)

Model	HCP330N (hydrophilic)	HCP330P (waterproof, that is, PTFE treatment)	HCP331N (hydrophilic)	HCP331P (waterproof, that is, PTFE treatment)
Thickness	0.29±0.02mm	0.380.02mm	0.340.02mm	0.350.02mm
Size	36*18cm	36*18cm	336*18cm	36*18cm
Unit weight	160-190 g/m ²	175-205g/m ²	200-230g/m ²	200-230g/m ²
Longitudinal resistance	< 0.12 × 10 ⁻² Ω	< 0.35 × 10 ⁻² Ω	< 0.11 × 10 ⁻² Ω	< 0.2 × 10 ⁻² Ω

Model	WIS1010	WIS1011
Thickness	0.38mm	0.41mm
Basic Weight	180g/m ²	200g/m ²
Air Permeability	< 55sec	< 55sec
Through.Plane Resistance	< 13 mΩcm ²	< 13 mΩcm ²
Tensile Strength (MD)	10 N/cm	10 N/cm
Tensile Strength (XD)	5 N/cm	5 N/cm

Density	70-600 g/m ²
Thickness size	1 ~ 12 mm
Carbon content	≥90%
Specific surface area	≥1500m ² /g